

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING	PRE OP (-56)		INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)				
D6212	Bridge noble metal cast	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6240	Bridge porcelain high noble	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6241	Bridge porcelain base metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6242	Bridge porcelain nobel metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6245	Bridge porcelain/ceramic	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6250	Bridge resin w/high noble	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6251	Bridge resin base metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6252	Bridge resin w/noble metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6519	Inlay/onlay porce/ceramic	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6520	Dental retainer two surfaces	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6530	Retainer metallic 3+ surface	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6543	Dental retainr onlay 3 surf	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6544	Dental retainr onlay 4/more	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6545	Dental retainr cast metl	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6548	Porcelain/ceramic retainer	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6720	Retain crown resin w hi nble	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6721	Crown resin w/base metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6722	Crown resin w/noble metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6740	Crown porcelain/ceramic	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6750	Crown porcelain high noble	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6751	Crown porcelain base metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6752	Crown porcelain noble metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6780	Crown 3/4 high noble metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6781	Crown 3/4 cast based metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6782	Crown 3/4 cast noble metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6783	Crown 3/4 porcelain/ceramic	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6790	Crown full high noble metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6791	Crown full base metal cast	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6792	Crown full noble metal cast	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6920	Dental connector bar	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D6930	Dental recement bridge	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6940	Stress breaker	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6950	Precision attachment	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6970	Post & core plus retainer	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6971	Cast post bridge retainer	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6972	Prefab post & core plus reta	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6973	Core build up for retainer	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6975	Coping metal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6976	Each addtnl cast post	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D6977	Each addtl prefab post	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE		FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
D6980	Bridge repair	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D6999	Fixed prosthodontic proc	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7110	Oral surgery single tooth	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7120	Each add tooth extraction	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7130	Tooth root removal	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7210	Rem imp tooth w mucoper flap	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7220	Impact tooth remov soft tiss	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7230	Impact tooth remov part bony	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7240	Impact tooth remov comp bony	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7241	Impact tooth rem bony w/comp	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7250	Tooth root removal	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7260	Oral antral fistula closure	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7270	Tooth reimplantation	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7272	Tooth transplantation	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7280	Exposure impact tooth orthod	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7281	Exposure tooth aid eruption	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7285	Biopsy of oral tissue hard	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7286	Biopsy of oral tissue soft	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7290	Repositioning of teeth	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7291	Transseptal fiberotomy	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
D7310	Alveoplasty w/ extraction	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7320	Alveoplasty w/o extraction	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7340	Vestibuloplasty ridge extens	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7350	Vestibuloplasty exten graft	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7410	Rad exc lesion up to 1.25 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7420	Lesion > 1.25 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7430	Exc benign tumor to 1.25 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7431	Benign tumor exc > 1.25 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7440	Malig tumor exc to 1.25 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7441	Malig tumor > 1.25 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7450	Rem odontogen cyst to 1.25cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7451	Rem odontogen cyst > 1.25 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7460	Rem nonodonto cyst to 1.25cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7461	Rem nonodonto cyst > 1.25 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7465	Lesion destruction	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7471	Rem exostosis any site	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7480	Partial ostectomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7490	Mandible resection	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7510	I&d abscc intraoral soft tiss	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
D7520	I&d abscess extraoral	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING			PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
D7530	Removal fb skin/areolar tiss	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7540	Removal of fb reaction	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7550	Removal of sloughed off bone	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7560	Maxillary sinusotomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7610	Maxilla open reduct simple	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7620	Clsd reduct simpl maxilla fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7630	Open red simpl mandible fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7640	Clsd red simpl mandible fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7650	Open red simp malar/zygom fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7660	Clsd red simp malar/zygom fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7670	Closed rductn splint alveolus	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7680	Reduct simple facial bone fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7710	Maxilla open reduct compound	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7720	Clsd reduct compd maxilla fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7730	Open reduct compd mandble fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7740	Clsd reduct compd mandble fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7750	Open red comp malar/zygma fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7760	Clsd red comp malar/zygma fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7770	Open reduc compd alveolus fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7780	Reduct compnd facial bone fx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7810	Tmj open reduct-dislocation	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7820	Closed tmp manipulation	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7830	Tmj manipulation under anest	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7840	Removal of tmj condyle	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7850	Tmj meniscectomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7852	Tmj repair of joint disc	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7854	Tmj excisn of joint membrane	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7856	Tmj cutting of a muscle	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7858	Tmj reconstruction	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7860	Tmj cutting into joint	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7865	Tmj reshaping components	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7870	Tmj aspiration joint fluid	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7871	Lysis + lavage w catheters	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7872	Tmj diagnostic arthroscopy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7873	Tmj arthroscopy lysis adhesn	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7874	Tmj arthroscopy disc reposit	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7875	Tmj arthroscopy synovectomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7876	Tmj arthroscopy discectomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7877	Tmj arthroscopy debridement	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7880	Occlusal orthotic appliance	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING			PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
D7899	Tmj unspecified therapy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7910	Dent sutur recent wnd to 5cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7911	Dental suture wound to 5 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7912	Suture complicate wnd > 5 cm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7920	Dental skin graft	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7940	Reshaping bone orthognathic	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D7941	Bone cutting ramus closed	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7943	Cutting ramus open w/graft	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7944	Bone cutting segmented	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7945	Bone cutting body mandible	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7946	Reconstruction maxilla total	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7947	Reconstruct maxilla segment	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7948	Reconstruct midface no graft	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7949	Reconstruct midface w/graft	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7950	Mandible graft	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7955	Repair maxillofacial defects	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7960	Frenulectomy/frenulotomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7970	Excision hyperplastic tissue	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7971	Excision pericoronal gingiva	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7980	Sialolithotomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7981	Excision of salivary gland	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7982	Sialodochoplasty	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7983	Closure of salivary fistula	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7990	Emergency tracheotomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7991	Dental coronoidectomy	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7995	Synthetic graft facial bones	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7996	Implant mandible for augment	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7997	Appliance removal	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D7999	Oral surgery procedure	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8010	Limited dental tx primary	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8020	Limited dental tx transition	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8030	Limited dental tx adolescent	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8040	Limited dental tx adult	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8050	Intercep dental tx primary	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8060	Intercep dental tx transitm	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8070	Compre dental tx transition	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8080	Compre dental tx adolescent	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8090	Compre dental tx adult	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8210	Orthodontic rem appliance tx	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8220	Fixed appliance therapy habt	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING			PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
D8660	Preorthodontic tx visit	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8670	Periodic orthodontc tx visit	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8680	Orthodontic retention	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8690	Orthodontic treatment	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8691	Repair ortho appliance	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8692	Replacement retainer	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D8999	Orthodontic procedure	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9110	Tx dental pain minor proc	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D9210	Dent anesthesia w/o surgery	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9211	Regional block anesthesia	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9212	Trigeminal block anesthesia	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9215	Local anesthesia	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9220	General anesthesia	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9221	General anesthesia ea ad 15m	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9230	Analgesia	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D9241	Intravenous sedation	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9242	IV sedation ea ad 30 m	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9248	Sedation (non-iv)	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9310	Dental consultation	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9410	Dental house call	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9420	Hospital call	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9430	Office visit during hours	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9440	Office visit after hours	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9610	Dent therapeutic drug inject	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9630	Other drugs/medicaments	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D9910	Dent appl desensitizing med	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9911	Appl desensitizing resin	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9920	Behavior management	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9930	Treatment of complications	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D9940	Dental occlusal guard	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D9941	Fabrication athletic guard	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9950	Occlusion analysis	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D9951	Limited occlusal adjustment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D9952	Complete occlusal adjustment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
D9970	Enamel microabrasion	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9971	Odontoplasty 1-2 teeth	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9972	Extrnl bleaching per arch	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9973	Extrnl bleaching per tooth	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9974	Intrnl bleaching per tooth	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
D9999	Adjunctive procedure	Not Covered	Not Covered	0	0%	0%	0%	9	9	9	9	9	9		X		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING	PRE OP (-56)		INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)				
E0100	Cane adjust/fixed with tip	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0105	Cane adjust/fixed quad/3 pro	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0110	Crutch forearm pair	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0111	Crutch forearm each	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0112	Crutch underarm pair wood	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0113	Crutch underarm each wood	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0114	Crutch underarm pair no wood	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0116	Crutch underarm each no wood	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0130	Walker rigid adjust/fixed ht	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0135	Walker folding adjust/fixed	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0141	Rigid walker wheeled wo seat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0142	Walker rigid wheeled with se	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0143	Walker folding wheeled w/o s	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0144	Enclosed walker w rear seat	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0145	Walker whled seat/crutch att	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0146	Folding walker wheels w seat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0147	Walker variable wheel resist	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0148	Heavyduty walker no wheels	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0149	Heavy duty wheeled walker	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0153	Forearm crutch platform atta	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0154	Walker platform attachment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0155	Walker wheel attachment,pair	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0156	Walker seat attachment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0157	Walker crutch attachment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0158	Walker leg extenders set of4	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0159	Brake for wheeled walker	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0160	Sitz type bath or equipment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0161	Sitz bath/equipment w/faucet	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0162	Sitz bath chair	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0163	Commode chair stationry fxd	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0164	Commode chair mobile fixed a	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0165	Commode chair stationry det	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0166	Commode chair mobile detach	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0167	Commode chair pail or pan	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0168	Heavyduty/wide commode chair	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0169	Seatlift incorp commodechair	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0175	Commode chair foot rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0176	Air pressre pad/cushion nonp	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0177	Water press pad/cushion nonp	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0178	Gel pressre pad/cushion nonp	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING	PRE OP (-56)		INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)				
E0179	Dry pressre pad/cushion nonp	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0180	Press pad alternating w pump	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0181	Press pad alternating w/ pum	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0182	Pressure pad alternating pum	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0184	Dry pressure mattress	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0185	Gel pressure mattress pad	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0186	Air pressure mattress	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0187	Water pressure mattress	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0188	Synthetic sheepskin pad	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0189	Lambswool sheepskin pad	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0191	Protector heel or elbow	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0192	Pad wheelchr low press/posit	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0193	Powered air flotation bed	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0194	Air fluidized bed	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0196	Gel pressure mattress	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0197	Air pressure pad for mattres	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0198	Water pressure pad for mattr	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0199	Dry pressure pad for mattres	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0200	Heat lamp without stand	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0202	Phototherapy light w/ photom	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0205	Heat lamp with stand	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0210	Electric heat pad standard	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0215	Electric heat pad moist	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0217	Water circ heat pad w pump	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0218	Water circ cold pad w pump	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0220	Hot water bottle	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0221	Infrared heating pad system	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0225	Hydrocollator unit	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0230	Ice cap or collar	Bundled	Bundled	0	0%	0%	0%	0	0	0	0	0	0		B		
E0231	Wound warming device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0232	Warming card for NWT	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0235	Paraffin bath unit portable	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0236	Pump for water circulating p	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0238	Heat pad non-electric moist	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0239	Hydrocollator unit portable	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0241	Bath tub wall rail	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0242	Bath tub rail floor	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0243	Toilet rail	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0244	Toilet seat raised	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0245	Tub stool or bench	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE		FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
E0246	Transfer tub rail attachment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0249	Pad water circulating heat u	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
E0250	Hosp bed fixed ht w/ mattres	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0251	Hosp bed fixd ht w/o mattres	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0255	Hospital bed var ht w/ mattr	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0256	Hospital bed var ht w/o matt	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0260	Hosp bed semi-electr w/ matt	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0261	Hosp bed semi-electr w/o mat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0265	Hosp bed total electr w/ mat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0266	Hosp bed total elec w/o matt	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0270	Hospital bed institutional t	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0271	Mattress innerspring	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0272	Mattress foam rubber	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0273	Bed board	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0274	Over-bed table	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0275	Bed pan standard	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0276	Bed pan fracture	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0277	Powered pres-redu air mattr	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0280	Bed cradle	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0290	Hosp bed fx ht w/o rails w/m	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0291	Hosp bed fx ht w/o rail w/o	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0292	Hosp bed var ht w/o rail w/o	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0293	Hosp bed var ht w/o rail w/	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0294	Hosp bed semi-elect w/ mattr	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0295	Hosp bed semi-elect w/o matt	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0296	Hosp bed total elect w/ matt	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0297	Hosp bed total elect w/o mat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0305	Rails bed side half length	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0310	Rails bed side full length	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0315	Bed accessory brd/tbl/supprt	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0316	Bed safety enclosure	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0325	Urinal male jug-type	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0326	Urinal female jug-type	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0350	Control unit bowel system	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0352	Disposable pack w/bowel syst	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0370	Air elevator for heel	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0371	Nonpower mattress overlay	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0372	Powered air mattress overlay	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0373	Nonpowered pressure mattress	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0424	Stationary compressed gas 02	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING	PRE OP (-56)		INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)				
E0425	Gas system stationary compre	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0430	Oxygen system gas portable	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0431	Portable gaseous O2	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0434	Portable liquid O2	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0435	Oxygen system liquid portabl	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0439	Stationary liquid O2	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0440	Oxygen system liquid station	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0441	Oxygen contents, gaseous	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0442	Oxygen contents, liquid	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0443	Portable O2 contents, gas	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0444	Portable O2 contents, liquid	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0450	Volume vent stationary/porta	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0455	Oxygen tent excl croup/ped t	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0457	Chest shell	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0459	Chest wrap	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0460	Neg press vent portabl/statn	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0462	Rocking bed w/ or w/o side r	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0480	Percussor elect/pneum home m	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0481	Intrpulmny percuss vent sys	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0482	Cough stimulating device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0500	Ippb all types	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0550	Humidif extens suppl w ippb	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0555	Humidifier for use w/ regula	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0560	Humidifier supplemental w/ i	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0565	Compressor air power source	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0570	Nebulizer with compression	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0571	Aerosol compressor for svneb	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0572	Aerosol compressor adjust pr	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0574	Ultrasonic generator w svneb	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0575	Nebulizer ultrasonic	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0580	Nebulizer for use w/ regulat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0585	Nebulizer w/ compressor & he	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0590	Dispensing fee dme neb drug	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0600	Suction pump portab hom modl	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0601	Cont airway pressure device	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0602	Breast pump	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0603	Electric breast pump	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0604	Hosp grade elec breast pump	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0605	Vaporizer room type	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0606	Drainage board postural	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING	PRE OP (-56)		INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)				
E0607	Blood glucose monitor home	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0608	Apnea monitor	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0610	Pacemaker monitr audible/vis	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0615	Pacemaker monitr digital/vis	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0616	Cardiac event recorder	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0617	Automatic ext defibrillator	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0620	Cap bld skin piercing laser	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0621	Patient lift sling or seat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0625	Patient lift bathroom or toi	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0627	Seat lift incorp lift-chair	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0628	Seat lift for pt furn-electr	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0629	Seat lift for pt furn-non-el	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0630	Patient lift hydraulic	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0635	Patient lift electric	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0650	Pneuma compresor non-segment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0651	Pneum compressor segmental	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0652	Pneum compres w/cal pressure	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0655	Pneumatic appliance half arm	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0660	Pneumatic appliance full leg	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0665	Pneumatic appliance full arm	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0666	Pneumatic appliance half leg	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0667	Seg pneumatic appl full leg	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0668	Seg pneumatic appl full arm	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0669	Seg pneumatic appli half leg	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0671	Pressure pneum appl full leg	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0672	Pressure pneum appl full arm	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0673	Pressure pneum appl half leg	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E0690	Ultraviolet cabinet	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0700	Safety equipment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0710	Restraints any type	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0720	Tens two lead	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0730	Tens four lead	Contracted	Contracted	0	0%	0%	0%	0	0	0	0	0	0		C		
E0731	Conductive garment for tens/	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0740	Incontinence treatment systm	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0744	Neuromuscular stim for scoli	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
E0745	Neuromuscular stim for shock	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0746	Electromyograph biofeedback	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0747	Elec osteogen stim not spine	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0748	Elec osteogen stim spinal	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X		
E0749	Elec osteogen stim implanted	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE		FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
E0752	Neurostimulator electrode	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0754	Pulsegenerator pt programmer	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0755	Electronic salivary reflex s	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
E0756	Implantable pulse generator	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0757	Implantable RF receiver	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0758	External RF transmitter	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0759	Replace rdfrquncy transmitt	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0760	Osteogen ultrasound stimltor	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0765	Nerve stimulator for tx n&v	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0776	Iv pole	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0779	Amb infusion pump mechanical	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0780	Mech amb infusion pump <8hrs	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0781	External ambulatory infus pu	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0782	Non-programable infusion pump	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
E0783	Programmable infusion pump	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0784	Ext amb infusn pump insulin	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0785	Replacement impl pump cathet	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0786	Implantable pump replacement	Not Covered	Not Covered	0	0%	0%	0%	9	0	0	0	0	0		X	
E0791	Parenteral infusion pump sta	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0830	Ambulatory traction device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0840	Tract frame attach headboard	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0850	Traction stand free standing	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0855	Cervical traction equipment	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N	
E0860	Tract equip cervical tract	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0870	Tract frame attach footboard	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0880	Trac stand free stand extrem	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0890	Traction frame attach pelvic	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0900	Trac stand free stand pelvic	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0910	Trapeze bar attached to bed	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0920	Fracture frame attached to b	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0930	Fracture frame free standing	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0935	Exercise device passive moti	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0940	Trapeze bar free standing	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0941	Gravity assisted traction de	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
E0942	Cervical head harness/halter	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0943	Cervical pillow	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
E0944	Pelvic belt/harness/boot	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0945	Belt/harness extremity	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0946	Fracture frame dual w cross	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
E0947	Fracture frame attachmnts pe	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING	PRE OP (-56)		INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)				
E0948	Fracture frame attachmnts ce	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0950	Tray	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0951	Loop heel	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0952	Loop tie	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0953	Pneumatic tire	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0954	Wheelchair semi-pneumatic ca	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0958	Whlchr att- conv 1 arm drive	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0959	Amputee adapter	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0961	Wheelchair brake extension	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0962	Wheelchair 1 inch cushion	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0963	Wheelchair 2 inch cushion	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0964	Wheelchair 3 inch cushion	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0965	Wheelchair 4 inch cushion	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0966	Wheelchair head rest extensi	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0967	Wheelchair hand rims	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0968	Wheelchair commode seat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0969	Wheelchair narrowing device	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0970	Wheelchair no. 2 footplates	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0971	Wheelchair anti-tipping devi	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0972	Transfer board or device	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0973	Wheelchair adjustabl height	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0974	Wheelchair grade-aid	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0975	Wheelchair reinforced seat u	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0976	Wheelchair reinforced back u	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0977	Wheelchair wedge cushion	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0978	Wheelchair belt w/airplane b	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0979	Wheelchair belt with velcro	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0980	Wheelchair safety vest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0990	Whellchair elevating leg res	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0991	Wheelchair upholstery seat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0992	Wheelchair solid seat insert	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0993	Wheelchair back upholstery	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0994	Wheelchair arm rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0995	Wheelchair calf rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0996	Wheelchair tire solid	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0997	Wheelchair caster w/ a fork	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0998	Wheelchair caster w/o a fork	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E0999	Wheelchr pneumatic tire w/wh	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1000	Wheelchair tire pneumatic ca	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1001	Wheelchair wheel	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING	PRE OP (-56)		INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)				
E1031	Rollabout chair with casters	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1035	Patient transfer system	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1050	Wheelchr fxd full length arms	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1060	Wheelchair detachable arms	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1065	Wheelchair power attachment	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1066	Wheelchair battery charger	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1069	Wheelchair deep cycle batter	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1070	Wheelchair detachable foot r	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1083	Hemi-wheelchair fixed arms	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1084	Hemi-wheelchair detachable a	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1085	Hemi-wheelchair fixed arms	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1086	Hemi-wheelchair detachable a	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1087	Wheelchair lightwt fixed arm	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1088	Wheelchair lightweight det a	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1089	Wheelchair lightwt fixed arm	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1090	Wheelchair lightweight det a	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1091	Wheelchair youth	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1092	Wheelchair wide w/ leg rests	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1093	Wheelchair wide w/ foot rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1100	Whchr s-recl fxd arm leg res	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1110	Wheelchair semi-recl detach	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1130	Whlchr stand fxd arm ft rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1140	Wheelchair standard detach a	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1150	Wheelchair standard w/ leg r	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1160	Wheelchair fixed arms	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1170	Whlchr ampu fxd arm leg rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1171	Wheelchair amputee w/o leg r	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1172	Wheelchair amputee detach ar	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1180	Wheelchair amputee w/ foot r	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1190	Wheelchair amputee w/ leg re	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1195	Wheelchair amputee heavy dut	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1200	Wheelchair amputee fixed arm	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1210	Whlchr moto ful arm leg rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1211	Wheelchair motorized w/ det	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1212	Wheelchair motorized w full	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1213	Wheelchair motorized w/ det	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1220	Whlchr special size/constrc	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1221	Wheelchair spec size w foot	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1222	Wheelchair spec size w/ leg	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1223	Wheelchair spec size w foot	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING	PRE OP (-56)		INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)				
E1224	Wheelchair spec size w/ leg	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1225	Wheelchair spec sz semi-recl	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1226	Wheelchair spec sz full-recl	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1227	Wheelchair spec sz spec ht a	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1228	Wheelchair spec sz spec ht b	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1230	Power operated vehicle	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1240	Whchr litwt det arm leg rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1250	Wheelchair lightwt fixed arm	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1260	Wheelchair lightwt foot rest	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1270	Wheelchair lightweight leg r	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1280	Whchr h-duty det arm leg res	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1285	Wheelchair heavy duty fixed	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1290	Wheelchair hvy duty detach a	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1295	Wheelchair heavy duty fixed	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1296	Wheelchair special seat heig	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1297	Wheelchair special seat dept	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1298	Wheelchair spec seat depth/w	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1300	Whirlpool portable	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1310	Whirlpool non-portable	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1340	Repair for DME, per 15 min	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1353	Oxygen supplies regulator	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1355	Oxygen supplies stand/rack	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1372	Oxy suppl heater for nebuliz	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1390	Oxygen concentrator	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1399	Durable medical equipment mi	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1405	O2/water vapor enrich w/heat	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1406	O2/water vapor enrich w/o he	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1500	Centrifuge	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1510	Kidney dialysate delivry sys	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1520	Heparin infusion pump for di	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1530	Air bubble detector for dial	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1540	Pressure alarm for dialysis	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1550	Bath conductivity meter	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1560	Blood leak detector for dial	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1570	Adjustable chair for esrd pt	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1575	Transducer protector/fluid b	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1580	Unipuncture control system	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1590	Hemodialysis machine	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1592	Auto interm peritoneal dialy	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1594	Cycler dialysis machine	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		

HCPCS CODE	ABBREVIATED DESCRIPTION	DOLLAR VALUE			FOL UP	MODIFIERS										ENDO BASE	FSI
		NON-FACILITY SETTING	FACILITY SETTING			PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
E1600	Deliv/install equip for dial	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1610	Reverse osmosis water purifi	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1615	Deionizer water purification	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1620	Blood pump for dialysis	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1625	Water softening system	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1630	Reciprocating peritoneal dia	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1632	Wearable artificial kidney	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1635	Compact travel hemodialyzer	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1636	Sorbent cartridges for dialy	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1637	Hemostats for dialysis, each	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1638	Peri dialysis heating pad	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1639	Dialysis scale	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1699	Dialysis equipment unspecifi	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1700	Jaw motion rehab system	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1701	Repl cushions for jaw motion	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1702	Repl measr scales jaw motion	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
E1800	Adjust elbow ext/flex device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1801	SPS elbow device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1805	Adjust wrist ext/flex device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1806	SPS wrist device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1810	Adjust knee ext/flex device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1811	SPS knee device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1815	Adjust ankle ext/flex device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1816	SPS ankle device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1818	SPS forearm device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1820	Soft interface material	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1821	Replacement interface SPSD	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1825	Adjust finger ext/flex devc	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1830	Adjust toe ext/flex device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1840	Adj shoulder ext/flex device	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E1902	AAC non-electronic board	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E2000	Gastric suction pump hme mdl	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E2100	Bld glucose monitor w voice	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
E2101	Bld glucose monitor w lance	By Report	By Report	0	0%	0%	0%	9	0	0	0	0	0		N		
G0001	Drawing blood for specimen	\$ 4.20	\$ 4.20	0	0%	0%	0%	9	9	9	9	9	9		L		
G0002	Temporary urinary catheter	\$ 195.47	\$ 34.85	0	0%	0%	0%	0	2	0	1	0	0		R		
G0004	ECG transm phys review & int	\$ 406.61	\$ 406.61	0	0%	0%	0%	4	0	0	0	0	0		R		
G0005	ECG 24 hour recording	\$ 63.14	\$ 63.14	0	0%	0%	0%	3	0	0	0	0	0		R		
G0006	ECG transmission & analysis	\$ 306.09	\$ 306.09	0	0%	0%	0%	3	0	0	0	0	0		R		
G0007	ECG phy review & interpret	\$ 37.38	\$ 37.38	0	0%	0%	0%	2	0	0	0	0	0		R		

HCPCS CODE		DOLLAR VALUE		FOL UP	MODIFIERS										ENDO BASE FSI	
		NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
G0008	Admin influenza virus vac	Bundled	Bundled	0	0%	0%	0%	9	9	9	9	9	9		B	
G0009	Admin pneumococcal vaccine	Bundled	Bundled	0	0%	0%	0%	9	9	9	9	9	9		B	
G0010	Admin hepatitis b vaccine	Bundled	Bundled	0	0%	0%	0%	9	9	9	9	9	9		B	
G0015	Post symptom ECG tracing	\$ 306.09	\$ 306.09	0	0%	0%	0%	3	0	0	0	0	0		R	
G0025	Collagen skin test kit	Bundled	Bundled	0	0%	0%	0%	9	9	9	9	9	9		B	
G0026	Fecal leukocyte examination	\$ 8.26	\$ 8.26	0	0%	0%	0%	9	9	9	9	9	9		L	
G0027	Semen analysis	\$ 12.59	\$ 12.59	0	0%	0%	0%	9	9	9	9	9	9		L	
G0030	PET imaging prev PET single	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0030-26	PET imaging prev PET single	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0030-TC	PET imaging prev PET single	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0031	PET imaging prev PET multiple	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0031-26	PET imaging prev PET multiple	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0031-TC	PET imaging prev PET multiple	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0032	PET follow SPECT 78464 singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0032-26	PET follow SPECT 78464 singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0032-TC	PET follow SPECT 78464 singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0033	PET follow SPECT 78464 mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0033-26	PET follow SPECT 78464 mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0033-TC	PET follow SPECT 78464 mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0034	PET follow SPECT 76865 singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0034-26	PET follow SPECT 76865 singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0034-TC	PET follow SPECT 76865 singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0035	PET follow SPECT 78465 mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0035-26	PET follow SPECT 78465 mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0035-TC	PET follow SPECT 78465 mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0036	PET follow cornry angio sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0036-26	PET follow cornry angio sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0036-TC	PET follow cornry angio sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0037	PET follow cornry angio mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0037-26	PET follow cornry angio mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0037-TC	PET follow cornry angio mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0038	PET follow myocard perf sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0038-26	PET follow myocard perf sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0038-TC	PET follow myocard perf sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0039	PET follow myocard perf mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0039-26	PET follow myocard perf mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0039-TC	PET follow myocard perf mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0040	PET follow stress echo singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0040-26	PET follow stress echo singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0040-TC	PET follow stress echo singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	

HCPCS CODE		ABBREVIATED DESCRIPTION	DOLLAR VALUE		FOL UP	MODIFIERS									ENDO BASE FSI	
			NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)		
G0041	PET follow stress echo mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0041-26	PET follow stress echo mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0041-TC	PET follow stress echo mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0042	PET follow ventriculogm sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0042-26	PET follow ventriculogm sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0042-TC	PET follow ventriculogm sing	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0043	PET follow ventriculogm mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0043-26	PET follow ventriculogm mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0043-TC	PET follow ventriculogm mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0044	PET following rest ECG singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0044-26	PET following rest ECG singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0044-TC	PET following rest ECG singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0045	PET following rest ECG mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0045-26	PET following rest ECG mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0045-TC	PET following rest ECG mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0046	PET follow stress ECG singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0046-26	PET follow stress ECG singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0046-TC	PET follow stress ECG singl	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0047	PET follow stress ECG mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0047-26	PET follow stress ECG mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0047-TC	PET follow stress ECG mult	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0050	Residual urine by ultrasound	\$ 42.93	\$ 42.93	0	0%	0%	0%	3	0	0	0	0	0		R	
G0101	CA screen;pelvic/breast exam	\$ 49.50	\$ 31.82	0	0%	0%	0%	0	0	0	0	0	0		R	
G0102	Prostate ca screening; dre	Bundled	Bundled	0	0%	0%	0%	0	9	9	9	9	9		B	
G0103	Psa, total screening	\$ 35.59	\$ 35.59	0	0%	0%	0%	9	9	9	9	9	9		L	
G0104	CA screen;flexi sigmoidscope	\$ 147.99	\$ 76.78	0	0%	0%	0%	0	2	0	1	0	0		R	
G0105	Colorectal scrn; hi risk ind	\$ 641.48	\$ 283.36	0	0%	0%	0%	0	2	0	1	0	0		R	
G0106	Colon CA screen;barium enema	\$ 181.33	\$ 181.33	0	0%	0%	0%	1	0	0	0	0	0		R	
G0106-26	Colon CA screen;barium enema	\$ 68.69	\$ 68.69	0	0%	0%	0%	1	0	0	0	0	0		R	
G0106-TC	Colon CA screen;barium enema	\$ 112.64	\$ 112.64	0	0%	0%	0%	1	0	0	0	0	0		R	
G0107	CA screen; fecal blood test	\$ 6.29	\$ 6.29	0	0%	0%	0%	9	9	9	9	9	9		L	
G0108	Diab manage trn per indiv	\$ 42.43	\$ 42.43	0	0%	0%	0%	0	0	0	0	0	0		R	
G0109	Diab manage trn ind/group	\$ 24.75	\$ 24.75	0	0%	0%	0%	0	0	0	0	0	0		R	
G0110	Nett pulm-rehab educ; ind	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0111	Nett pulm-rehab educ; group	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0112	Nett;nutrition guid, initial	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0113	Nett;nutrition guid,subseqnt	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0114	Nett; psychosocial consult	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0115	Nett; psychological testing	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0116	Nett; psychosocial counsel	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	

HCPCS CODE		DOLLAR VALUE		FOL UP	MODIFIERS										ENDO BASE FSI	
		NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
G0117	Glaucoma scrn hgh risk direc	Bundled	Bundled	0	0%	0%	0%	0	0	0	0	0	0		B	
G0118	Glaucoma scrn hgh risk direc	Bundled	Bundled	0	0%	0%	0%	0	0	0	0	0	0		B	
G0120	Colon ca scrn; barium enema	\$ 181.33	\$ 181.33	0	0%	0%	0%	1	0	0	0	0	0		R	
G0120-26	Colon ca scrn; barium enema	\$ 68.69	\$ 68.69	0	0%	0%	0%	1	0	0	0	0	0		R	
G0120-TC	Colon ca scrn; barium enema	\$ 112.64	\$ 112.64	0	0%	0%	0%	1	0	0	0	0	0		R	
G0121	Colon ca scrn not hi rsk ind	\$ 641.48	\$ 283.36	0	0%	0%	0%	0	2	0	1	0	0		R	
G0122	Colon ca scrn; barium enema	\$ 184.36	\$ 184.36	0	0%	0%	0%	1	9	9	9	9	9		R	
G0122-26	Colon ca scrn; barium enema	\$ 71.72	\$ 71.72	0	0%	0%	0%	1	9	9	9	9	9		R	
G0122-TC	Colon ca scrn; barium enema	\$ 112.64	\$ 112.64	0	0%	0%	0%	1	9	9	9	9	9		R	
G0123	Screen cerv/vag thin layer	\$ 39.20	\$ 39.20	0	0%	0%	0%	9	9	9	9	9	9		L	
G0124	Screen c/v thin layer by MD	\$ 31.32	\$ 31.32	0	0%	0%	0%	0	0	0	0	0	0		R	
G0125	PET img WhBD sgl pulm ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0125-26	PET img WhBD sgl pulm ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0125-TC	PET img WhBD sgl pulm ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0127	Trim nail(s)	\$ 22.22	\$ 12.63	0	0%	0%	0%	0	2	0	1	0	0		R	
G0128	CORF skilled nursing service	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0129	Part. Hosp. Prog. Occupa Tx.	Not Covered	Not Covered	0	0%	0%	0%	9	9	9	9	9	9		X	
G0130	Single energy x-ray study	\$ 59.10	\$ 59.10	0	0%	0%	0%	1	0	0	0	0	0		R	
G0130-26	Single energy x-ray study	\$ 17.17	\$ 17.17	0	0%	0%	0%	1	0	0	0	0	0		R	
G0130-TC	Single energy x-ray study	\$ 41.92	\$ 41.92	0	0%	0%	0%	1	0	0	0	0	0		R	
G0131	CT scan, bone density study	\$ 180.32	\$ 180.32	0	0%	0%	0%	1	0	0	0	0	0		R	
G0131-26	CT scan, bone density study	\$ 19.70	\$ 19.70	0	0%	0%	0%	1	0	0	0	0	0		R	
G0131-TC	CT scan, bone density study	\$ 161.13	\$ 161.13	0	0%	0%	0%	1	0	0	0	0	0		R	
G0132	CT scan, bone density study	\$ 59.10	\$ 59.10	0	0%	0%	0%	1	0	0	0	0	0		R	
G0132-26	CT scan, bone density study	\$ 17.17	\$ 17.17	0	0%	0%	0%	1	0	0	0	0	0		R	
G0132-TC	CT scan, bone density study	\$ 41.92	\$ 41.92	0	0%	0%	0%	1	0	0	0	0	0		R	
G0141	Scr c/v cyto,autosys and md	\$ 31.32	\$ 31.32	0	0%	0%	0%	0	0	0	0	0	0		R	
G0143	Scr c/v cyto,thinlayer,rescr	\$ 39.20	\$ 39.20	0	0%	0%	0%	9	9	9	9	9	9		L	
G0144	Scr c/v cyto,thinlayer,rescr	\$ 39.20	\$ 39.20	0	0%	0%	0%	9	9	9	9	9	9		L	
G0145	Scr c/v cyto,thinlayer,rescr	\$ 39.20	\$ 39.20	0	0%	0%	0%	9	9	9	9	9	9		L	
G0147	Scr c/v cyto, automated sys	\$ 22.02	\$ 22.02	0	0%	0%	0%	9	9	9	9	9	9		L	
G0148	Scr c/v cyto, autosys, rescr	\$ 29.40	\$ 29.40	0	0%	0%	0%	9	9	9	9	9	9		L	
G0151	HHCP-serv of pt,ea 15 min	\$ 32.45	\$ 32.45	0	0%	0%	0%	0	0	0	0	0	0		F	
G0152	HHCP-serv of ot,ea 15 min	\$ 33.62	\$ 33.62	0	0%	0%	0%	0	0	0	0	0	0		F	
G0153	HHCP-svs of s/l path,ea 15mn	\$ 33.62	\$ 33.62	0	0%	0%	0%	0	0	0	0	0	0		F	
G0154	HHCP-svs of rn,ea 15 min	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0155	HHCP-svs of csw,ea 15 min	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0156	HHCP-svs of aide,ea 15 min	\$ 5.65	\$ 5.65	0	0%	0%	0%	0	0	0	0	0	0		F	
G0166	Extrnl counterpulse, per tx	\$ 216.69	\$ 5.56	0	0%	0%	0%	0	9	9	9	9	9		R	
G0167	Hyperbaric oz tx;no md reqrd	\$ 37.88	\$ 37.88	0	0%	0%	0%	5	9	9	9	9	9		R	

HCPCS CODE		DOLLAR VALUE		FOL UP	MODIFIERS										ENDO BASE FSI	
		NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
G0168	Wound closure by adhesive	\$ 141.93	\$ 32.83	0	0%	0%	0%	0	2	0	1	0	0		R	
G0173	Stereo radoisurgery,complete	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N	
G0175	OPPS Service,sched team conf	Info Only	Info Only	0	0%	0%	0%	9	9	9	9	9	9		O	
G0176	OPPS/PHP;activity therapy	Not Covered	Not Covered	0	0%	0%	0%	9	9	9	9	9	9		X	
G0177	OPPS/PHP; train & educ serv	Info Only	Info Only	0	0%	0%	0%	9	9	9	9	9	9		O	
G0179	MD recertification HHA PT	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0180	MD certification HHA patient	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0181	Home health care supervision	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0182	Hospice care supervision	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X	
G0185	Transpuppillary thermotx	By Report	By Report	90	0%	0%	0%	0	2	1	0	1	1		N	
G0186	Dstry eye lesn,fdr vssl tech	By Report	By Report	90	0%	0%	0%	0	2	1	0	1	1		N	
G0187	Dstry mclr drusen,photocoag	Not Covered	Not Covered	90	0%	0%	0%	0	2	1	0	1	1		X	
G0192	Immunization oral/intranasal	Not Covered	Not Covered	0	0%	0%	0%	9	9	9	9	9	9		X	
G0193	Endoscopicstudyswallowfunctn	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
G0194	Sensorytestingendoscopicstud	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N	
G0195	Clinicalevalswallowingfunct	\$ 177.29	\$ 116.68	0	0%	0%	0%	0	0	0	0	0	0		R	
G0196	Evalofswallowingwithradioopa	\$ 177.29	\$ 116.68	0	0%	0%	0%	0	0	0	0	0	0		R	
G0197	Evalofptforprescipspeechdevi	\$ 176.79	\$ 107.08	0	0%	0%	0%	0	0	0	0	0	0		R	
G0198	Patientadapation&trainforspe	\$ 109.10	\$ 80.31	0	0%	0%	0%	0	0	0	0	0	0		R	
G0199	Reevaluationofpatientusespec	\$ 149.51	\$ 80.31	0	0%	0%	0%	0	0	0	0	0	0		R	
G0200	Evalofpatientprescipofvoicep	\$ 176.79	\$ 107.08	0	0%	0%	0%	0	0	0	0	0	0		R	
G0201	Modifortraininginusevoicepro	\$ 109.10	\$ 80.31	0	0%	0%	0%	0	0	0	0	0	0		R	
G0202	Screeningmammographydigital	\$ 176.28	\$ 176.28	0	0%	0%	0%	1	0	2	0	0	0		R	
G0202-26	Screeningmammographydigital	\$ 50.51	\$ 50.51	0	0%	0%	0%	1	0	2	0	0	0		R	
G0202-TC	Screeningmammographydigital	\$ 125.77	\$ 125.77	0	0%	0%	0%	1	0	2	0	0	0		R	
G0204	Diagnosticmammographydigital	\$ 186.38	\$ 186.38	0	0%	0%	0%	1	0	2	0	0	0		R	
G0204-26	Diagnosticmammographydigital	\$ 62.63	\$ 62.63	0	0%	0%	0%	1	0	2	0	0	0		R	
G0204-TC	Diagnosticmammographydigital	\$ 123.75	\$ 123.75	0	0%	0%	0%	1	0	2	0	0	0		R	
G0206	Diagnosticmammographydigital	\$ 150.52	\$ 150.52	0	0%	0%	0%	1	0	0	0	0	0		R	
G0206-26	Diagnosticmammographydigital	\$ 50.51	\$ 50.51	0	0%	0%	0%	1	0	0	0	0	0		R	
G0206-TC	Diagnosticmammographydigital	\$ 100.01	\$ 100.01	0	0%	0%	0%	1	0	0	0	0	0		R	
G0210	PET img WhBD ring dxlung ca	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0210-26	PET img WhBD ring dxlung ca	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0210-TC	PET img WhBD ring dxlung ca	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0211	PET img WhBD ring init lung	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0211-26	PET img WhBD ring init lung	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0211-TC	PET img WhBD ring init lung	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0212	PET img WhBD ring restag lun	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0212-26	PET img WhBD ring restag lun	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	
G0212-TC	PET img WhBD ring restag lun	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X	

HCPCS CODE		ABBREVIATED DESCRIPTION	DOLLAR VALUE		FOL UP	MODIFIERS										ENDO BASE FSI	
			NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
G0213	PET img WhBD ring dx colorec	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0213-26	PET img WhBD ring dx colorec	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0213-TC	PET img WhBD ring dx colorec	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0214	PET img WhBD ring init colre	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0214-26	PET img WhBD ring init colre	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0214-TC	PET img WhBD ring init colre	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0215	PETimg whbd restag col	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0215-26	PETimg whbd restag col	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0215-TC	PETimg whbd restag col	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0216	PET img WhBD ring dx melanom	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0216-26	PET img WhBD ring dx melanom	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0216-TC	PET img WhBD ring dx melanom	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0217	PET img WhBD ring init melan	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0217-26	PET img WhBD ring init melan	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0217-TC	PET img WhBD ring init melan	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0218	PET img WhBD ring restag mel	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0218-26	PET img WhBD ring restag mel	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0218-TC	PET img WhBD ring restag mel	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0219	PET img WhBD ring noncov ind	Not Covered	Not Covered	0	0%	0%	0%	1	9	9	9	9	9		X		
G0219-26	PET img WhBD ring noncov ind	Not Covered	Not Covered	0	0%	0%	0%	1	9	9	9	9	9		X		
G0219-TC	PET img WhBD ring noncov ind	Not Covered	Not Covered	0	0%	0%	0%	1	9	9	9	9	9		X		
G0220	PET img WhBD ring dx lymphom	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0220-26	PET img WhBD ring dx lymphom	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0220-TC	PET img WhBD ring dx lymphom	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0221	PET img WhBD ring init lymph	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0221-26	PET img WhBD ring init lymph	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0221-TC	PET img WhBD ring init lymph	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0222	PET img WhBD ring resta lymph	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0222-26	PET img WhBD ring resta lymph	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0222-TC	PET img WhBD ring resta lymph	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0223	PET img WhBD reg ring dx hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0223-26	PET img WhBD reg ring dx hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0223-TC	PET img WhBD reg ring dx hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0224	PETimg WhBD reg ring ini hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0224-26	PETimg WhBD reg ring ini hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0224-TC	PETimg WhBD reg ring ini hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0225	PET img WhBD ring restag hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0225-26	PET img WhBD ring restag hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0225-TC	PET img WhBD ring restag hea	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0226	PET img WhBD dx esophag	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		

HCPCS CODE		ABBREVIATED DESCRIPTION	DOLLAR VALUE		FOL UP	MODIFIERS										ENDO BASE FSI	
			NON-FACILITY SETTING	FACILITY SETTING		PRE OP (-56)	INTRA OP (-54)	POST OP (-55)	PCTC (26/TC)	MSI (-51)	BSI (-50)	ASI (-80)	CSI (-62)	TSI (-66)			
G0226-26	PET img WhBD dx esophag	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0226-TC	PET img WhBD dx esophag	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0227	PET img whbd ini esopha	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0227-26	PET img whbd ini esopha	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0227-TC	PET img whbd ini esopha	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0228	PET img WhBD ring restg esop	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0228-26	PET img WhBD ring restg esop	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0228-TC	PET img WhBD ring restg esop	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0229	PET img metabolic brain ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0229-26	PET img metabolic brain ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0229-TC	PET img metabolic brain ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0230	PET myocard viability ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0230-26	PET myocard viability ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0230-TC	PET myocard viability ring	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0231	PET WhBD colorec; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0231-26	PET WhBD colorec; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0231-TC	PET WhBD colorec; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0232	PET WhBD lymphoma; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0232-26	PET WhBD lymphoma; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0232-TC	PET WhBD lymphoma; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0233	PET WhBD melanoma; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0233-26	PET WhBD melanoma; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0233-TC	PET WhBD melanoma; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0234	PET WhBD pulm nod; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0234-26	PET WhBD pulm nod; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0234-TC	PET WhBD pulm nod; gamma cam	Not Covered	Not Covered	0	0%	0%	0%	1	0	0	0	0	0		X		
G0236	digital film convert diag ma	\$ 24.75	\$ 24.75	0	0%	0%	0%	1	0	0	0	0	0		R		
G0236-26	digital film convert diag ma	\$ 4.55	\$ 4.55	0	0%	0%	0%	1	0	0	0	0	0		R		
G0236-TC	digital film convert diag ma	\$ 20.20	\$ 20.20	0	0%	0%	0%	1	0	0	0	0	0		R		
G0237	Therapeutic procd strg endur	\$ 23.74	\$ 23.74	0	0%	0%	0%	0	0	0	0	0	0		R		
G0238	Oth resp proc, indiv	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
G0239	Oth resp proc, group	By Report	By Report	0	0%	0%	0%	0	0	0	0	0	0		N		
G0240	Critic care by MD transport	\$ 286.90	\$ 286.90	0	0%	0%	0%	0	0	0	0	0	0		R		
G0241	Each additional 30 minutes	\$ 143.45	\$ 143.45	0	0%	0%	0%	0	0	0	0	0	0		R		
G0242	Multisource photon ster plan	Not Covered	Not Covered	0	0%	0%	0%	9	9	9	9	9	9		X		
G0243	Multisour photon stero treat	Not Covered	Not Covered	0	0%	0%	0%	9	9	9	9	9	9		X		
G0244	Observ care by facility topt	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9		N		
G0245	Initial foot exam ptlops	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
G0246	Followup eval of foot pt lop	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		
G0247	Routine footcare pt w lops	Not Covered	Not Covered	0	0%	0%	0%	0	0	0	0	0	0		X		